



TOPEX[®]

NEW 2025 CATALOGUE

www.topertools.com.au



TOPEX

TX004

20V Cordless Combo Tool Kit

Drill Driver
 No-load speed: 0-350/0-1400 RPM
 Max. Torque: 40 N.m
 Torque Stage: 22+1

Saber Saw
 No-load speed: 0-3000/Min
 Stroke: 15mm
 Cutting Depth: Wood(25mm),Metal(10mm)

Sander
 No-load speed: 0-10000/Min
 Sanding Pad: 138x97 mm

Multi-Purpose Tool
 Oscillation: 0-21000/Min
 Angle Degree: 3°




TOPEX

TX410

85mm Circular Saw Attachment

No-load Speed: 3500 RPM
 Saw Blade Diameter: 85 mm
 Max Cutting Depth:
 21 mm (Wood)
 3 mm (Aluminum Material)
 8 mm (Ceramic Tile)



TOPEX

TX005

20V Cordless Hammer Drill

Voltage: 20V
 Torque: 30 N.m
 No-load Speed: 0-350/0-1400 RPM
 Max Chuck Size: 13 mm
 Torque Setting: 21+1+1
 Charging Time: 3.5 hr



TOPEX

TX030(Skin)/TX330

20V Cordless Impact Driver

Voltage: 20V
 Battery Capacity : 1500mAh Li-ion
 No-load Speed: 0-2300 RPM
 Impact Frequency : 0-3200 BPM
 Max. Torque : 180 N.m
 Charging Time: 3.5 hour
 Drive Size: 6.35 mm
 LED Light: Yes



TOPEX

TX031

20V Cordless Impact Wrench

Voltage: 20V
 Battery Capacity : 1500mAh Li-ion
 No-load Speed: 0-2400 RPM
 Impact Frequency : 0-3000 BPM
 Max. Torque : 200 N.m
 Charging Time: 3.5 hour
 Drive Size: 1/2"
 LED Light: Yes



TOPEX

TX121/TX122(Skin)

20V Cordless Blower

Voltage: 20V D.C.
 Type: Li-ion Battery
 Capacity: 1.5 Ah
 No load speed: 14500 r/min
 Runtime : Max.20 min
 Air velocity: 120km/h
 Charging time: 3.5 hour



TOPEX

TX032

20V Cordless Drill and Impact Wrench Set

20V Cordless impact drill:
 No load speed 0-400 rpm/ 0-1500 rpm
 Impact rate: 0-21500 bpm
 Torque setting: 15+1+1
 Chuck: 2-13 mm
 Max. Torque: 45 N.m
20V Cordless Impact Driver:
 No-load speed: 0-3300 rpm
 Impact rate: 0-3000 ipm
 Max Torque: 200 N.m
 Chuck: 1/4"(6.35 mm) hex quick change



TOPEX

TX270(Skin)/TX271

20V Cordless Hedge Trimmer

No Load Speed: 1400rpm
 Max Voltage: 20V
 No Load Speed: 1400rpm
 Blade Length: 450 mm
 Cutting Capacity: φ14 mm



TOPEX

TX013(Skin)/TX014

20V Cordless Handheld Vacuum Cleaner

Voltage: 20V
 Max Air Flow: 0.85m³/min
 Dry Capacity: 650 mL
 IWet Capacity: 150 mL
 Charging Time: 3.5 hour



TOPEX

TX280(Skin)/TX281

20V Cordless Grass Trimmer

Max Voltage: 20V
 No Load Speed: 8,500RPM
 Cutting Device: Trim Fast Blade
 Max Cutting Width: 230mm
 Weight (with battery pack): 2.0kg
 Guaranteed Sound Power Level: 92 dB(A)



TOPEX

TX202(Skin)/TX204

20V Cordless LED Torch

Voltage: 20V
 LED: 3 W
 Brightness: 300 Lumen



TOPEX

TX290(Skin)/TX291

20V Cordless Telescoping Power Scrubber

Battery: 1.5Ah Lithium-ion
 Max Voltage: 20V
 Variable Speed Settings: 2
 Brush Speeds Low: 600 RPM
 Brush Speeds High: 1000 RPM



TOPEX

TX221

20V Cordless Chainsaw

Max Voltage: 20V
 Battery Capacity: 4000 mAh Li-ion
 No-load Speed: 10 m/s
 Guide bar length: 254 mm
 Cutting length: 230 mm
 Chain pitch: 9.53 mm (0.375 in.)
 Chain gauge: 1.1 mm (0.043 in.)
 Drive links quantity: 40
 Chain oil tank capacity: 90 mL



TOPEX

TX311(Skin)/TX312

20V Cordless Detail Sander

Rated Voltage: 20v Max
 Dust Sucking Style: Dust Bag
 No Load Speed: 12,000 Rpm
 Pad Dimensions: 150 X 150 X 100 Mm



TOPEX

TX413(Skin)/TX414

20V Cordless Circular Saw

Max Voltage: 20V
 Battery Capacity: 4000 mAh Li-ion
 No Load Speed: 4,300rpm
 Max.Cutting Depth: 52mm (90°), 36mm(45°)
 Mitre Angle: 0°- 45°
 Saw Blade: 165x1.6x20mm (24T)



TOPEX

TX320(Skin)/TX321

20V Cordless Angle Grinder

Max Voltage: 20V
 Disc Diameter: 125 mm
 No Load Speed: 8500 RPM
 Adjustable Handle: Yes



TOPEX

TX300(Skin)/TX301

20V Pressure Washer

Max. Voltage: 20V
 Battery Capacity: 1500 mAh Li-ion
 Max. Input Water Temperature: 40°C
 Max. Flow Rate: 3.3 L/min
 Max. Pressure: 25 bar



TOPEX

TX015(Skin)/TX016

20V 25L Wet & Dry Vacuum Cleaner

Max Voltage: 20V
 Suction Power: 8kPa
 Tank Capacity: 25 L
 Hose Diameter: 35 mm
 IP Rating: IPX4



TOPEX

TX011

20V Air Pump

Battery Voltage: 20V max
 Battery Capacity: 1.5Ah
 Pressure: 0.2 to 8 Bar/3 to 120 PSI
 Weight: 0.86 KG



TOPEX

TX012

16V 2 IN 1 Hybrid Inflator Deflator

Max Voltage: 16V
 Max. Pressure: 17 bar (100 psi)
 Max. Air Flow Rate: 45 m³/h
 Battery Type: Li-ion
 Capacity: 2.0 Ah
 Charging Time: Approx. 1 h






TOPEX

TX700


16" Tool Bag



TOPEX

TX704


19" Rolling Tool Bag



TOPEX

TX701


24" Tool Bag



TOPEX

TX702


16" Tool Tote



TOPEX

TX703

18" Tool Backpack



TOPEX

TX411(Skin)/TX412

12V Cordless Circular Saw

Max Voltage: 12V
 Battery Capacity: 2.0Ah
 No-load Speed: 1450 RPM
 Sawing depth 45°: 17 mm
 Sawing depth 90°: 26.5 mm
 Blade capacity: 85x15x1.3mmx24T



TOPEX

TX201(Skin)/TX203

12V Cordless LED Worklight

Battery Voltage: 12V Max
 Battery Capacity: 2.0Ah
 Output: 3 W
 Luminous flux: 300 LM



TOPEX

TX023(Skin)/TX423

12V Cordless Angle Grinder

Max Voltage: 12V
 No-load Speed: 12000-19500 RPM
 Disc Size : 85 mm



TOPEX

TX230(Skin)/TX231

12V Impact Wrench

Max Voltage: 12V
 No Load Speed: 0-2700RPM
 Max Torque: 120 N.M
 Chuck Size: 3/8"
 Impact Frequency: 0-3800BPM



TOPEX

TX211(Skin)/TX212

12V Cordless Polisher

Max Voltage: 12V
 Battery Capacity: 2.0Ah
 No-load Speed: 0-2600/0-7800 min⁻¹
 Pad Size: ø 75 mm
 Drive Spindle Thread: M6



TOPEX

TX232(Skin)/TX233

12V Ratchet Wrench

Max Voltage: 12V
 Max Torque: 45n.m
 No-load Speed: 300RPM
 Chuck Size: 3/8"



TOPEX

TX094(Skin)/TX394

12V Rotary Tool Kit

Max Voltage: 12V
 Battery Capacity: 2.0Ah
 No-load Speed: 5000-25000 RPM
 Chuck Size: Max 3.2 mm



TOPEX

TX418(Skin)/TX419

12V Cordless Reciprocating Saw

Max Voltage: 12V
 No Load Speed: 0-2700RPM
 Cutting stroke length: 20 mm
 Blade Fitment : Tool-free





TOPEX

TX111

4V Cordless Screwdriver

Voltage: 4V
 Battery Capacity: 1500 mAh
 Charging Time: 3 Hours
 LED Light: Yes



TOPEX

TX091

4V Cordless Stapler

Battery Voltage: 4V Max
 Battery Capacity: 1500 mAh
 Speed: 30/min



TOPEX

TX112

4V Cordless Screwdriver Set

Voltage: 4V Max
 Chuck Size: 6.35mm Magnetic
 No Load Speed: 180/min
 Max Torque: 4.0 Nm
 Battery: 1.5Ah Li-ion



TOPEX

TX273

4V Cordless Grass Trimmer&Shear Kit

Max Voltage: 4V
 Battery Capacity : 1300mAh Li-ion
 No-load Speed: 1000 RPM
 Hedge Trimmer: 120 mm
 Grass Blade: 80 mm
 Max. Cutting Cap: 8 mm



TOPEX

TX069

4V Cordless Glue Gun

Battery Voltage: 4V Max
 Battery Capacity: Battery Capacity
 Heating Time: 60 Sec
 Temperature: 170 Celsius Degree
 Glue Stick Diameter: 7mm
 Glue Sticks Quantity: 15 PCS



TOPEX

TX240

4V Cordless Scrubber

Voltage: 4V
 Battery Capacity : 1200 mAh Li-ion
 No-load Speed: 10,000/12,000 RPM
 Water resistant : IPX6



TOPEX

TX066/TX266

4V Soldering Iron

Battery Voltage: 4V Max
 Battery Capacity: 1500 mAh
 Heat up time: 25 Sec
 Max Temperature: 450 Celsius Degrees
 Power: 8W



TOPEX

TX264

4V 3 IN 1 Cordless Foam Cutter

Voltage: 4V MAX
 Battery Capacity: 2.0 AH
 Hot Wire Tip Length: 13.8 CM
 Engraver Tip Length: 4 CM
 Cutting Tip Length: 8 CM
 High Temperature Mode: 600 C
 Low Temperature Mode: 400 C



TOPEX

TX192

60M Laser Measurer

Measurement accuracy: ± 2 mm*
 Unit: m/in/ft
 Measurement range (no reflector): 60 m
 Measurement time: 0.1-3 s
 Laser light level: II
 Laser light type: 635 nm, <1 mw
 Dust proof and waterproof: IP54



TOPEX

TX010

Tyre Inflator

Voltage: 12V
 Input: 5V—2A
 Pressure Measurement Accuracy: ± 1 PSI
 Pressure Units: PSI, BAR, KPA, KG/CM²
 Pressure Range: 3—150PSI



TOPEX

TX460-4A

Intelligent Battery Charger

Operating Voltage: 220-240V 50/60HZ
 Max. Power Rating : 70W
 Charging Current 12VSTD/AGM/C Max: 4A
 12V M Charging Program: 1A
 12V Lfp Charging Program Max: 4A
 6V Std Charging Program: 2A



TOPEX

TX460-10A

Intelligent Battery Charger

Operating Voltage: 220-240V 50/60HZ
 Max. Power Rating : 160W
 Charging Current 12VSTD/AGM/C Max: 10A
 12V M Charging Program: 2A
 12V Lfp Charging Program Max: 10A
 6V Std Charging Program: 2A



TOPEX

TX131

400W Water Pump

Power: 400W
 Max Flow Rate: 7500 L/H
 Suitable for both clean and dirty water
 Max Height: 5 m
 Power Cord Length: 10 m
 Maximum Temperature: 35°C
 Voltage: 230-240V/ 50Hz



TOPEX

TX142

1600W Pressure Washer

Power: 1600W
 Pressure: 9MPa
 Max.pressure: 13.5MPa
 Flow: 5.5 L/min
 Max.flow: 7.1 L/min
 Temperature: 5°C-50°C



TOPEX

TX132

750W Water Pump

Power: 750W
 Max Flow Rate: 13,000 L/H
 Suitable for both clean and dirty water
 Max Height: 8.5 m
 Power Cord Length: 10 m
 Maximum Temperature: 35°C
 Voltage: 230-240V/ 50Hz



TOPEX

TX151

20 Meters Retractable Water Hose

Size :- 36 x 36 x 20 cm
 Collection Bin Size :- 310 x 270 mm
 Auto-retracing mechanism
 Lock Mechanism Style



TOPEX

TX135

1100W Water Pump

Power: 1100W
 Max Flow Rate: 20,000 L/H
 Suitable for both clean and dirty water
 Max Height: 9 m
 Power Cord Length: 10 m
 Maximum Temperature: 35°C
 Voltage: 230-240V/ 50Hz



TOPEX

TX141

15 Inch Surface Cleaner

Diameter: 15"
 Quick Connect Fitting Size: 1/2"
 Max Pressure: 3600psi
 Max Flow: 3.0 Gpm



TOPEX

TX133/TX134

Submersible Pump Hose Kit

Color: Blue
 Diameter: 25 m/50 m
 Material: PVC



TOPEX

TX103

1010W Rotary Hammer Drill

Voltage: 240V ~ 50Hz
 Power: 1010W
 No Load Speed: 800 RPM
 Impact Rate : 4000 BPM
 Impact energy: 3.5J
 Chuck Type: SDS Plus



TOPEX

TX029

900W Angle Grinder

Voltage: 220-240V, 50Hz
 Power Rating: 900w
 Rated Speed: 12,000 Rpm
 Disc Diameter: 125 Mm
 Disc Bore Diameter: 22.23 Mm
 Spindle Thread: M14



TOPEX

TX104

1500W Rotary Hammer Drill

Voltage: 240V ~ 50Hz
 Power: 1500W
 No Load Speed: 300-800 RPM
 Impact Rate : 1500-4000 BPM
 Impact energy: 5J
 Chuck Type: SDS Plus
 Concrete: 32 mm
 Steel: 13 mm
 Wood: 40 mm



TOPEX

TX028

1200W Angle Grinder

Voltage: 220-240V, 50Hz
 Power: 1200 W
 No-load Speed: 3000-12000 RPM
 Spindle : M14
 Diameter : 125 mm
 Max. Disc Thickness: 22 mm



TOPEX

TX060

100W Glue Gun

Voltage: 240V / 50Hz
 Power: 100W
 Heating time: 120 Sec
 Glue Sticks compatibility: Φ 11 mm
 Glue Sticks Quantity: 10 PCs
 Safe And Easy To Standby



TOPEX

TX065

9.6W Foam Cutter

Voltage: 5VDC
 Power: 9.6W Max.
 Material: Alloy
 Color: Red
 Adaptor: SAA
 Hot Wire Tip Length: 16 cm
 Engraver Tip: 3.5 cm
 Cutting Tip: 12 cm



TOPEX

TX062

1800W Heat Gun

Voltage: 220-240V, 50Hz
 Power: 1800W
 Position 1: 400°C 300 L/min
 Position 2: 600°C 500 L/min



TOPEX

TX265

150W Heavy Duty Foam Cutter

Voltage: 240V-50HZ
 Power: 150W
 Cord length: 1.35 M
 Casing: PA6+TPE



TOPEX

TX064

100W Soldering Gun

Voltage: 220-240V, 50Hz
 Power: 100 Watts
 Body Material: Nylon
 Heats Up Time: 5S
 Soldering Time: 12S
 Cooling Time: 48S
 LED Light: Yes



TOPEX

TX068

60W Soldering Station

Work Voltage: 220V~50Hz
 Power: 60W
 Max temperature: 450 C
 Min temperature: 200 C
 Temperature Setting: Each Press \pm 10°C
 1 x Cleaning Sponge, 1 x User Manual



TOPEX

TX416

920W Reciprocating Saw

Motor: 920W
No Load Speed: 0-3000/min
Stroke Length: 22 mm
Blade Fitment: Tool-free
Cutting Capacities:
Wood cutting capacity-180 mm
Capacity Metal Cutting-10 mm
Cut Aluminum Capacity-25 mm



TOPEX

TX417

Reciprocating Saw Blades

- 5 X Crv 152 mm 6 Tpi Wood Blades
- 5 X Crv 152 mm 8 Tpi Wood Blades
- 5x Bim 150 mm 14 Tpi metal Blades
- 5 X Bim 150 mm 18 Tpi metal Blades
- 6 X Crv 225 mm 6 Tpi Wood Blades
- 3 X Crv 228 mm 5 Tpi Pruning Blades
- 5x Bim 150 mm 5-8 Tpi Metal/wood With Nails Blades



TOPEX

TX092

200W Rotary Tool

Voltage: 240 V ~ 50 Hz
 Power rating: 200 W
 Rated speed: 10,000 to 40,000 RPM
 Chuck Size: 2.3 & 3.2 mm



TOPEX

TX099

120W Bench Grinder

Power: 120W
 No Load Speed: 0-11,500 /min
 Grinding Wheel Material: Pink Corundum
 Material: Aluminium



TOPEX

TX093

12V Rotary Tool

Quantity: 110pcs
 Voltage: 12V
 Rotate Speed: 12,000rpm
 Application:
 Suitable for DIY, drilling and polishing.
 Shipping Weight: 1.3kg
 Packing Dimensions (L*W*H):
 390*270*11.3 mm



TOPEX

TX095

13W Electric Engraver

Power: 13W
 No Load Speed: 6000 /min
 Periodic Duty: 30s on,90s off
 Engraving Bit: Tungsten Carbide Tipped Steel



TOPEX

TX390

65W Electric Multifunction Sharpener

Power: 65W
 No Load Speed: 8,500 /min
 Wheel Diameter: 10,14(Inner)
 49,5 mm(Outer Diameter)
 Sharpening Capacity: drill Diameter: 3-10 mm
 Chisel & Plane Blades: 6-51 mm



TOPEX

TX310

200W Detail Sander

Power: 200W
 No Load Speed: 14,000 /min
 Pad Size: 140x140x80 mm
 Paper Type: hook Loop



TOPEX

TX191

400W Sprayer Gun

Rated Output: 400 W
 Rated Voltage: 240 V~50 Hz
 Output: 800 mL / min (Water)
 Paint Cup Capacity: 1000 mL.
 Max Viscosity: 70 DIN/s



TOPEX

TX098

3 In 1 Multi-Function Electric Sander

Power: 200W
 No Load Speed: 7000-12,000 RPM
 Speed Level: 6



TOPEX

TX171

20M Air Hose Reel

Size : 36 x 36 x 20 cm
 Wall Bracket Size : 17x 8 cm
 Pipe Length : 20 m



TOPEX

TX096

300W Random Orbital Sander

Power: 300W
 No Load Speed: 6000-13,000 RPM
 Pad Size: 125 mm



TOPEX

TX600

Spot Cleaner

Power: 450W
 Clean Water Tank Capacity: 1080 mL
 Dirty Water Tank Capacity: 800 mL



TOPEX

TX601

Multi Fabric Cleaner

250 mL
 Spot & Stain Remover





TOPEX

40
PIECES

TX041-MET/SAE

Tap and Die Set Metric / Imperial

Quantity: 40 pcs
 Material: Alloy Steel & High Carbon Steel
 Material: Fine Carbon Steel
 Surface Treatment: Bright
 Process: Fully Ground Rolling
 Marking: Laser Marking
 Packing: Plastic Case



TOPEX

118
PIECES

TX042

Tap and Die Set

Quantity: 118 pcs
 Material: Alloy Steel & High Carbon Steel
 Surface Treatment: Polishing
 Process: Fully Ground Rolling
 Marking: Laser Marking
 Packing: Plastic Case



TOPEX



TX073

Drill Bit Set

204
PIECES

Closed Box Size:- 39 x 28 x 10 cm
 Open Box Size:- 104 x 39 cm

TOPEX



TX072

32PCs Bits Set

Material: CR-V
 Quantity: 32PCs
 Magnetic universal holder: Yes

TOPEX
 T O O L P R O S

TOPEX

246
PIECES

TX071

Drill Bits Set

Weight: 2.9 kg
Material: High Speed Steel, CR-V
Quantity: 246 PCs
Style: Drill & Drive Bits Set



TOPEX

52
PIECES

TX055

52PCs Hand Tool Set

Quantity: 52PCS
Packing: Blow Moulded Case
Colour: Black & Red



TOPEX

TX076

128PCs Drill Bits Set

Material: High Speed Steel, CR-V
Quantity: 128 PCs
Style: Drill & Drive Bits Set



TOPEX

65
PIECES

TX051

Hand Tool Set

Quantity: 65PCS
Material: top Quality Steel
Color: Yellow
Packing: Blow Molded Case



TOPEX

TX077

17PCs SDS Plus Drill Bits

Material: YG8C alloy, 40Cr steel
Quantity: 17 PCs
Style: Drill Bit



TOPEX

100
PIECES

TX053

Screwdriver Set

Material: Chrome-Vanadium Steel
Color: Black and Red
Quantity: 100pcs



TOPEX

260
PIECES

TX054

260PCs Wire Stripper

Crimping The Insulated Cable Lug:
0.5-6 mm² / 10-22AWG
Crimping The Un-Insulated Cable Lug:
- 4-6mm² / 12-10AWG
- 1.5-2.5 mm² / 16-14AWG
- 0.5-1mm² / 22-18AWG
Terminal Diameter: 5 mm
Splice Diameter: 5 mm



TOPEX

285
PIECES

TX057

285PCs Wire Stripper

Quantity: 285 PCs
Style: Automotive Electrical Repair Kit



TOPEX

TX081

3 IN 1 Hand Riveter

Quantity: 90 PCS
 Material: Heavy Duty Steel
 Nut Size: M3/M4/M5/M6
 Rivet Size: $\phi 2.4/\phi 3.2/\phi 4.0/\phi 4.8$
 Reamer Shape: Square&Curve



TOPEX

TX059

Multi-tool & Knife Set

Colour : Red And Black
 Material: Premium Stainless Steel



TOPEX

**160
PIECES**

TX082

Rivet Nut Gun

Material: Heavy Duty Steel
 Nut Size: M3, M4, M5, M6, M8, M10& M12
 Shipping Weight: 2.52kg
 Color: Blue
 Quantity: 160 pieces
 Packing: Plastic Storage Case



TOPEX

TX056

58PCs Trimming Knife

Colour : Red And Black
 Material: Aluminium Alloy



TOPEX

TX083

41PCs Hollow Wall Anchor Kit

Grip Range: 2.5 mm
 Material: Steel
 Quantity: 41 PCs
 Style: Wall Anchor



TOPEX

TX251

9PCs Extension Bar Set

Material: Chrome Vanadium Steel
 Quantity: 9 PCs
 Head Style: Fixed Square, Hex




TOPEX

TX254

13PCs Impact Socket Adapter Set

Material: 50BV30 Chrome-Vanadium Steel
 Size: 1/4" Hex Shank
 Quantity: 13 PCs
 Head Style: Fixed Square, Hex
 Type: Metric



TOPEX

TX252

7PCs Socket Adaptor Set

Material: Chrome Vanadium Steel
 Quantity: 7 PCs
 Head Style: Fixed Square, Hex
 System of Measurement: Metric




TOPEX

TX255

16PCs Impact Nut Driver set

Style: Automotive Electrical Repair Kit
 Size: 1/4" Hex Shank
 Quantity: 16 PCs
 System of Measurement: Metric/ SAE
 Material: 50BV30 Chrome-vanadium Steel



TOPEX

TX253

5PCs Swivel Spark Plug Socket Set

Material: Chromium-Vanadium Steel, 50BV 30
 Size: 3/8"
 Quantity: 5 PCs
 Head Style: Fixed Square, Hex
 System of Measurement: Metric



TOPEX

TX058

38PCs Allen Key Set

Material: Chrome Vanadium Steel & Manganese phosphate
 Quantity: 38 PCs
 Type: Metric/ SAE/ Torx
 Shape: Right Angle Bend





TOPEX

T O O L P R O S

TOPEX

12V
2.0Ah

TX036

12V 2.0Ah Battery

Battery Voltage: 12V
 Battery Capacity: 2.0Ah
 Compatible Models:
 TX023 TX094 TX201 TX211 TX411



TOPEX

12V
4.0Ah

TX039

12V 4.0Ah Battery

Battery Voltage: 12V
 Battery Capacity: 4.0Ah
 Compatible Models:
 TX023 TX094 TX201 TX211 TX411



TOPEX

20V
1.5Ah

TX037

20V 1.5Ah Battery

Battery Voltage: 20V
 Battery Capacity: 1.5Ah
 Compatible Models:
 TX004 TX005 TX011 TX014 TX030
 TX031 TX032 TX121 TX202 TX221
 TX271 TX281 TX291 TX414



TOPEX

20V
4.0Ah

TX038

20V 4.0Ah Battery

Battery Voltage: 20V
 Battery Capacity: 4.0Ah
 Compatible Models:
 TX004 TX005 TX011 TX014 TX030
 TX031 TX032 TX121 TX202 TX221
 TX271 TX281 TX291 TX414



TOPEX

TX160

12V Battery Fast Charger

Input: 100-240V ~ 50/60Hz 300W
Output: 12.6VDC 1500MA
Only For TOPEX Battery Pack



TOPEX

TX022

125mm Cutting Disc

Material: Aluminum Oxide
Outer Diameter: 125 mm/ 5"
Inner Diameter: 22.23 mm
Thickness: 1 mm
Max Speed: 11,250 RPM
Application: Steel, Cast iron,
Aluminum Alloy & Stainless Steel



**50
PIECES**

TOPEX

TX161

12V Battery Charger

Input: 100-240V ~ 50/60Hz
Output: 12VDC 0.4A
Only For TOPEX Battery Pack



TOPEX

TX024

85mm Cutting Disc

Material: Aluminum Oxide
Outer Diameter: 85 mm
Inner Diameter: 10 mm
Thickness: 1.2 mm
Application: Steel, Cast iron,
Aluminum Alloy & Stainless Steel



**50
PIECES**

TOPEX

TX162

20V Battery Charger

Input: 100-240V ~ 50/60Hz 0.4A Max
Output: 21V 0.5A
Only For TOPEX Battery Pack



TOPEX

TX025

20PCs Cutting Disc Set

Quantity: 20 Pcs
Disc Size: 115 mm
Bore Dimension: 22.23 mm
Polishing Pad Thread: M14x2
Application: Grinding, Cutting, Polishing
Storage: Blow Molded Case



TOPEX

TX163

20V Battery Charger

Input: 100-240V ~ 50/60Hz
Output: 21V 2.2A
Only For TOPEX Battery Pack



TOPEX

TX027

125mm Polishing disc

Material: Aluminum Oxide
Quantity: 25 Pieces
Size: 125 mm
Bore Size: 22.2 mm
Thickness: 6mm
Application: Steel, Cast iron,
Aluminum Alloy & Stainless Steel



**25
PIECES**

TOPEX

TX322/TX323/TX324/TX325

125mm Zirconia Flap Disc

Grit: 40/60/80/120
 Diameter: 5"/125 mm
 Single flap size: 17 x 28cm
 Hole diameter: 22.23 mm
 Surface: Zinc Coated
 Quantity: 10PCs



TOPEX

TX391

2PCs Diamond Coated Grinding Wheels

Quantity: 2 PCs
 Outer Diameter: 51 mm
 Inner Diameter: 11 mm
 Thickness: 7.7 mm



TOPEX

TX326

125mm Orbital Sanding Discs

Material: Aluminum Oxide
 Grit: 80/180/240/320/400/600/800/1000/1500/2000
 Diameter: 125 mm
 Shape: Round
 Quantity: 100 PCs




TOPEX

TX392

2PCs Grinding wheels

Diameter: 75 mm
 Inner Diameter: 10 mm
 Thickness: 20 mm
 Shape: Circle



TOPEX

TX327

Detail Sanding Sheets

Material: Aluminum Oxide
 Quantity: 60 PCs
 Grit: 40/60/80/100/120/240
 Size: 102 x 148 mm
 Shape: Triangle Mouse



TOPEX

TX420

85mm Wood Cutting Disc

Outer Diameter: 85 mm
 Inner Diameter: 15 mm
 Thickness: 1.3 mm
 Max Speed: 7000 RPM
 Teeth TCT: 24
 Application: Wood




TOPEX

TX328

187x93 sanding sheets

Material: Aluminum Oxide
 Quantity: 60 PCs
 Grit: 40/60/80/100/120/240
 Size: 93 x 187 mm
 Shape: Rectangular



TOPEX

TX415

165mm Wood Cutting Disc

Outer Diameter: 165 mm
 Inner Diameter: 20 mm
 Thickness: 1.6 mm
 Max Speed: 9300 RPM
 Teeth TCT: 24
 Application: Wood




TOPEX

TX181

4PCs Soldering Iron Tip

- 1pc Soldering Tip
- 1pc Sponge
- 1pc Solder 1xΦ1.0 mm
- 1pc Solder 1xΦ1.5 mm
- Compatible Model Number: TX066



TOPEX

TX800

37PCs Toy Tools

- Colour: Red
- Age range: 36 months to 180 months




TOPEX

TX182

7PCs Soldering Iron Tips

- 4pcs Soldering Tip
- 1pc Sponge
- 1pc Solder 1xΦ1.0 mm
- 1pc Solder 1xΦ1.5 mm
- Compatible Model Number: TX068



TOPEX

TX105

13mm SDS Plus Adaptor Kit

- Shank: SDS-Plus
- Design: Classic 3-Jaws Design
- Ability Range: 1.5 -13mm
- Mount: 1/2"-20UNF
- Weight: 0.33kg





TOPEX

TX400

3000PCs Accessory Nails

- Length: 10 mm/6 mm/ 8 mm
- Type: Staple Gun Staples





TOPEX[®]

www.topertools.com.au